Langur Deild



Oil Pattern Distance: 44 Feet 39 Feet Oil Per Board: **Reverse Brush Drop:** 50 uL 15 mL **Forward Oil Total: Reverse Oil Total:** 14.4 mL **Volume Oil Total:** 29.4 mL 288 Boards Forward Boards Crossed: 300 Boards **Reverse Boards Crossed: Total Boards Crossed:** 588 Boards

	Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L	2R	5	18	185	0.0	10.2	10.2	9250
2	9L	9R	2	18	46	10.2	15.3	5.1	2300
3	12L	12R	2	18	34	15.3	20.4	5.1	1700
4	14L	14R	1	18	13	20.4	22.9	2.5	650
5	15L	15R	2	18	22	22.9	28.0	5.1	1100
6	2L	2R	0	22	0	28.0	37.0	9.0	0
7	2L	2R	0	26	0	37.0	44.0	7.0	0


2 16L 16R 2 18 18 37.0 31.9 -5.1 900 3 14L 14R 2 18 26 31.9 26.8 -5.1 1300 4 12L 12R 1 18 17 26.8 24.3 -2.5 850 5 10L 10R 2 18 42 24.3 19.2 -5.1 2100 6 2L 2R 5 14 185 19.2 9.3 -9.9 9250	2 16L 16R 2 18 18 37.0 31.9 -5.1 900 3 14L 14R 2 18 26 31.9 26.8 -5.1 1300 4 12L 12R 1 18 17 26.8 24.3 -2.5 850 5 10L 10R 2 18 42 24.3 19.2 -5.1 2100 6 2L 2R 5 14 185 19.2 9.3 -9.9 9250		Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
3 14L 14R 2 18 26 31.9 26.8 -5.1 1300 4 12L 12R 1 18 17 26.8 24.3 -2.5 850 5 10L 10R 2 18 42 24.3 19.2 -5.1 2100 6 2L 2R 5 14 185 19.2 9.3 -9.9 9250	3 14L 14R 2 18 26 31.9 26.8 -5.1 1300 4 12L 12R 1 18 17 26.8 24.3 -2.5 850 5 10L 10R 2 18 42 24.3 19.2 -5.1 2100 6 2L 2R 5 14 185 19.2 9.3 -9.9 9250	1	2L	2R	0	18	0	44.0	37.0	-7.0	0
4 12L 12R 1 18 17 26.8 24.3 -2.5 850 5 10L 10R 2 18 42 24.3 19.2 -5.1 2100 6 2L 2R 5 14 185 19.2 9.3 -9.9 9250	4 12L 12R 1 18 17 26.8 24.3 -2.5 850 5 10L 10R 2 18 42 24.3 19.2 -5.1 2100 6 2L 2R 5 14 185 19.2 9.3 -9.9 9250	2	16L	16R	2	18	18	37.0	31.9	-5.1	900
5 10L 10R 2 18 42 24.3 19.2 -5.1 2100 3 2L 2R 5 14 185 19.2 9.3 -9.9 9250	5 10L 10R 2 18 42 24.3 19.2 -5.1 2100 6 2L 2R 5 14 185 19.2 9.3 -9.9 9250	3	14L	14R	2	18	26	31.9	26.8	-5.1	1300
3 2L 2R 5 14 185 19.2 9.3 -9.9 9250	3 2L 2R 5 14 185 19.2 9.3 -9.9 9250	4	12L	12R	1	18	17	26.8	24.3	-2.5	850
		5	10L	10R	2	18	42	24.3	19.2	-5.1	2100
7 2L 2R 0 14 0 9.3 0.0 -9.3 0	7 2L 2R 0 14 0 9.3 0.0 -9.3 0	3	2L	2R	5	14	185	19.2	9.3	-9.9	9250
		7	2L	2R	0	14	0	9.3	0.0	-9.3	0

Conditioner:
Type In or Select
One
TransferType:
Type In or Select
One

Reverse

Combined

Buff



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	MIddle: Inside Track	Middle:Middle Track	Middle:Outside Track
Track Zone Ratio	2.4	1.79	1.12	1.12	1.79	2.4

